


IN THE UNITED STATES PATENT AND TRADEMARK OFFICE

Applicant : Haarala et al.
Serial No. : 09/838,618
Filed : April 19, 2001
For : Catheter Slit Valves
Group Art Unit : 3754
Examiner : Eric S. Keasel



Mail Stop: Petitions
Commissioner for Patents
P.O. Box 1450
Alexandria, VA 22313-1450

**PETITION FOR REVIVAL OF UNINTENTIONALLY
ABANDONED APPLICATION**

This Petition is in response to a Notice of Abandonment mailed on December 23, 2005. The above-identified application became abandoned for failure to file a timely and proper reply to a notice or action by the USPTO. The date of abandonment is the day after the expiration of the period set for reply to the Notice of Non-Compliant Appeal Brief, plus any extensions of time actually obtained.


APPLICANTS HEREBY PETITION FOR REVIVAL OF THIS APPLICATION.

The entire delay in filing the required reply, from the due date for the required reply to the filing of a grantable petition under 37 C.F.R. § 1.137(b), was unintentional.

A favorable decision on this petition is respectfully requested.

Respectfully submitted,

Dated: December 29, 2005


By: _____
Oleg F. Kaplun (Reg. No. 45,559)

01/05/2006 H0UTEMA1 00000004 09838618

01 FC:1453

1500.00 OP

Fay Kaplun & Marcin, LLP
150 Broadway, Suite 702
New York, NY 10038
(212) 619-6000 (phone)
(212) 619-0276 (fax)